

# केन्द्रीय रेशम उत्पादन अनुसंधान एवं प्रशिक्षण संस्थान

## Central Sericultural Research & Training Institute

[केन्द्रीय रेशम बोर्ड -  
वस्त्र मंत्रालय - भारत सरकार]  
मानंदवाडी रोड, श्रीरामपुरा,  
मैसूर - 570 008



[Central Silk Board -  
Min. of Textiles - Govt. of India]  
Manandavadi Road, Srirampura  
Mysore - 570 008

No.CSB/RTI/MBG/2023-24/Stores

Date: 30.01.2024

**BY SPEED POST**

To

*WM enclosed.*

Sirs,

Sub: Purchase of Water Meter for the use of MBG Section  
- Inviting Competitive quotations – reg.  
%%%%%

This office is interested to purchase of Water Meter as per the specifications given below .  
The interested parties may offer their lowest rate:

Sl.No	Name of the item with Description	Qty.
1	<b>Water Meter</b> 32 mm(1 Inch) Analog Display water meter Minimum Flow Qmin=0.3 m3/h , Transitional FlowQt=2 m3/h Nominal flow Qn=10m3/h, Maximum flow Qmax=20m3/h Temperature Suitability=45 degC Prfesure Test=20kg/cm2	2 No.

Quotations should be addressed to the Director, CSRTI, Mysore, Srirampura, Manandavadi Road, Mysore 570008 and may be sent in a sealed envelope superscribing “**QUOTATION FOR Water Meter**” and should reach this office on or before 2.00 p.m on 22.02.2024. The quotations will be opened at 3.00 p.m. on 22.02.2024. The quotations received after due date and time will be rejected summarily.

The Director, CSRTI, Mysore reserves the right to accept or reject any or all quotations without assigning any reason whatsoever.

P.T.O.



**TERMS & CONDITIONS**

1	EMD	NA
2	EXEMPTION FROM EMD	NA
3	VALIDITY	The rate quoted should be valid for a period of 120 days from the date of opening of the quotations
4	DELIVERY SCHEDULE	F.O.R. CSR&TI , Mysore
5	PAYMENT SCHEDULE	Payment will be effected only after satisfactory supply of item in good working conditions
6	TAXES/OTHER STATUTORY PAYMENTS	Should be quoted separately and DUTIES in percentage wherever applicable
7	WARRANTY	Should be indicated
8	LIQUIDATED DAMAGES	Penalty @1% will be imposed for every 10 days delay or part thereof delay.
9	The materials supplied shall be in conformity with specifications.	
10	Failure in submission of the above, results in rejection of quotation.	

Kindly submit your quotations early.

Yours faithfully,

*sd/-*  
DIRECTOR *ilc*

Copy to:

1) The Scientist-D, MBG, Section for information and needful action.

2) The Dy. Director (Comp) with a request to put this enquiry letter to the Website of CSRTI, Mysore and also CPP portal website of Govt. of India as per the copy of the Tender Input Form enclosed.

*R. Shetty*  
DIRECTOR *ilc*  
30/11/20