

# केन्द्रीय रेशम उत्पादन अनुसंधान एवं प्रशिक्षण संस्थान

## Central Sericultural Research & Training Institute

[केन्द्रीय रेशम बोर्ड -

वस्त्र मंत्रालय - भारत सरकार]

मानंदवाडी रोड, श्रीरामपुरा,

मैसूर - 570 008



[Central Silk Board -

Min. of Textiles - Govt. of India]

Manandavadi Road, Srirampura

Mysore - 570 008

No.CSB/RTI/S/PUR-EQPT/Mul. Phy/2023-24

Date: 27.02.2024

To

As per Address List enclosed

Sir,

Sub: -Inviting sealed quotations for installation of Drip Irrigation System for 0.3 Acre of New Experimental Plot at Mulberry Physiology Section of this Institute - reg.

%%%%%%%%

This office is interested to invite quotations for installation of Drip Irrigation System for 0.3 acre of New experimental Plot for maintaining the experimental plants with sub-optimal irrigation under the project under project PIP 01037 SI at Mulberry Physiology of this Institute as per the specifications given under Annex I. The interested parties may offer their lowest rate.

Quotations should be addressed to the **Director, CSRTI, Mysore, Srirampura, Manandavadi Road, Mysore - 570 008** and sent in a **sealed envelope** superscribing "**QUOTATION FOR INSTALLATION OF DRIP IRRIGATION SYSTEM**" should reach this office on or before **20.03.2024 02 PM** on. The quotations received after due date and time will be rejected summarily.

**LAST DATE: 20.03.2024 AT 2.00 PM**

**OPENING OF QUOTATIONS: 3 PM ON 20.03.2024 AT CSRTI MYSORE**

The Director, CSRTI, Mysore reserves the right to accept or reject any or all quotations without assigning any reason whatsoever.

(P.T.O)

दूरभाष/Telephone: 0821-2362440

निदेशक/Director: 2362757

फैक्स/Fax: 2362845

वेबसाइट/Web : www.csrtimys.res.in



csrtimys  
Central-Silk-Board



csrtimys  
csbmot



csrtimysore

ई-मेल/E-mail : csrtimys.csb@nic.in  
csrtimys@gmail.com

### TERMS & CONDITIONS

1	The rates should be quoted in figures as well as in words.	
2	Any arithmetical error in the total will be corrected by this office and the figures will be final.	
3	In case, the rate in figures and words differ, the low rate shall be taken as correct.	
4	EMD	NA (Not applicable)
5	EXEMPTION FROM EMD	NA (Not applicable)
6	VALIDITY	The rate quoted should be valid for a period of 120 days from the date of opening of the quotations
7	DELIVERY SCHEDULE	F.O.R. CSRTI, MYSORE
8	PAYMENT SCHEDULE	Payment will be effected only after satisfactory completion of Installation of drip fertigation
9	TAXES/OTHER STATUTORY PAYMENTS	Should be quoted separately and DUTIES in percentage wherever applicable
10	LIQUIDATED DAMAGES	Penalty @1% will be imposed for every 10 days delay or part thereof delay.
11	Failure in submission of the above, results in rejection of quotation.	

Kindly submit your quotations early.

Yours faithfully,

*sd/-*  
DIRECTOR

✓ Copy to 1. Dy. Director(Comp), CSRTI, Mysore with a request to post the enquiry letter to the Website of CSRTI, Mysore and CPP portal

2. Scientist-C, Mulberry Physiology Section for information.

*Comp*  
DIRECTOR 29/02/24

*1/3*

### Annexure-I

The specifications for the installation of Drip Irrigation system at Mulberry Physiology, CSR&TI, Mysore in New Experimental Plots (Area: 0.3 acre)

Sl. No	Particulars	Quantity
	<b>Irrigation Contral System</b>	
01	PVC PIPE 63 MM 4 KG	8 NOS
02	NUTRICARE ECO 40 MM X 50 MM WITH PUMP JNE 40 x 50 WP	0
03	JAIN SUPER FLOW FILTER 25 M3	01 No.
	<b>FIELD VALVES &amp; WATER METER ETC,</b>	
04	DIS/SIS VALVE PLA 63 MM (2") BV 63 MM	02 NOS.
05	2 LPH DRIPPER	500 NOS
06	16 MM LATERAL	800 MTR
07	WATER METER	01 NO
08	FITTINGS AND ACCESSORIES	01 LS
09	INSTALLATION AND COMMISSIONING	1 LS